



PCB Layout(Pattern side)



Circuit Diagram

NO.1		
PART NO	H	PART NO
A	4.3	O
B	4.5	P
C	5	Q
D	5.5	R
E	6	S
F	6.5	T
G	7	U
H	7.5	V
I	8	W
J	8.5	X
K	9	Y
L	9.5	Z
M	10	
N	10.5	

NO.2	
PART NO	vigor
1	90±30
2	130±30
3	180±30
4	250±30
5	350±50

NO.3	
PART NO	MATERIAL/Qty
S	SUS/1Pc
C	C5210/1Pc
D	SUS/2PCS
F	C5210/2PCS

NO.4-NO.5	
PART NO	NOTE
01~99	SERIAL NUMBER

⑤	Terminal	—	2	Brass(0.30t)	Plating silver	—
④	Contact	—	1	F.Ag/SUS	Plating silver	—
③	Base	—	1	Nylon	Black	—
②	Cover	—	1	SPCC	Plating Nickel	—
①	Keystoke	—	1	Nylon	Black	—
ITEM	PART NAME	TER'NO.	QTY.	MATERIAL	FINISHING	REMARK

APPROVALS		DATE		TITLE:		
DRAWN J.X.Zhang		2013/5/28		TACT SWITCHS		
CHECKED						
APPROVALS						
TOLERANCES ARE		30~12.1 ±0.30		PART NO. K2-1102DF-□□□W-□□		
		10~30 ±0.20		SCALE: 1:1		
		5~10 ±0.15		PROJ. 1		
		~5 ±0.10		SHEET 1 Of 1		
ECN NO.	REV.	DATE.	DESCRIPTION.			
	A		NEW			